


AGTIV[®]

DESIGNED BY NATURE. PERFECTED BY SCIENCE.



2026

AGRICULTURE CATALOG

AGTIV[®] RELIABLE INOCULANTS



PEA, LENTIL & FABA BEAN

AGTIV THRIVE[®] P PEA & LENTIL

F: Powder (peat)
S: 4.7 kg (10.3 lb) pail – 2.4 kg (5.3 lb) pail
C: Pea & faba bean: Pail 4.7 kg: **16 ha (40 acres)** – Pail 2.4 kg: **8 ha (20 acres)**
Lentil: Pail 4.7 kg: **24 ha (60 acres)**

M R



AGTIV THRIVE[®] G PEA & LENTIL

F: Granules (peat)
S: 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag
C: Pea, lentil & faba bean: Bag: **4 ha (10 acres)** – Tote bag: **80 ha (200 acres)**

M R



AGTIV THRIVE[®] PEA & LENTIL

F: Liquid
S: Combo box: 8 L (8 kg) bag-in-box + 4 x 950 ml (4 x 32 fl. oz) bottles
C: Pea, lentil & faba bean: **32 ha (80 acres)**

M R



AGTIV FUEL[®] P PEA & LENTIL

F: Powder (peat)
S: 4.7 kg (10.3 lb) pail
C: Pea & faba bean: **16 ha (40 acres)**
Lentil: **24 ha (60 acres)**

R



AGTIV FUEL[®] G PEA & LENTIL

F: Granules (peat)
S: 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag
C: Pea, lentil & faba bean: Bag: **4 ha (10 acres)** – Tote bag: **80 ha (200 acres)**

R



AGTIV FUEL[®] L PEA & LENTIL *

F: Liquid
S: 8 L (8 kg) bag-in-box
C: Pea, lentil & faba bean: **32 ha (80 acres)** or **6530 kg of seeds (240 bu)**

R



SOYBEAN

AGTIV THRIVE[®] P SOYBEAN

F: Powder (peat)
S: 4.7 kg (10.3 lb) pail
C: Soybean: **16 ha (40 acres)**

M R



AGTIV THRIVE[®] G SOYBEAN

F: Granules (peat)
S: 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag
C: Soybean: Bag: **4 ha (10 acres)** – Tote bag: **80 ha (200 acres)**

M R



AGTIV THRIVE[®] SOYBEAN

F: Liquid
S: Combo box: 8 L (8 kg) bag-in-box + 2 x 950 ml (2 x 32 fl. oz) bottles
C: Soybean: **16 ha (40 acres)**

M R



AGTIV FUEL[®] G SOYBEAN

F: Granules (peat)
S: 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag
C: Soybean: Bag: **4 ha (10 acres)** – Tote bag: **80 ha (200 acres)**

R



AGTIV FUEL[®] L SOYBEAN *

F: Liquid
S: 8 L (8 kg) bag-in-box
C: Soybean: **16 ha (40 acres)** or **5680 kg of seeds (250 units)**

R



AGTIV ENRICH[®] SOYBEAN *

F: Liquid
S: Combo box: 8 L (8 kg) (*Bradyrhizobium*) bag-in-box + 300 ml (*Bacillus*) bottle
C: Soybean: **16 ha (40 acres)** or **5680 kg of seeds (250 units)**

R B



ACTIVE INGREDIENT(S)	ORGANIC	APPLICATION MODE				FORMULATION
		GRANULAR IN-FURROW	MIXING WITH SEEDS	LIQUID IN-FURROW	LIQUID ON SEED	

CANOLA CORN & CEREAL

AGTIV IGNITE[®] L

F: Liquid
S: 11 L (11 kg) bag-in-box
C: Canola: **454 kg (1000 lb) of seeds or 81 ha (200 acres)**
Cereal: **9165 kg (20 205 lb) of seeds or 81 ha (200 acres)**
Corn: **3000 kg (6 614 lb) of seeds or 121 ha (300 acres)**

S



CHICKPEA

AGTIV THRIVE[®] P CHICKPEA

F: Powder (peat)
S: 4.7 kg (10.3 lb) pail
C: Chickpea: **16 ha (40 acres)**

M R



AGTIV THRIVE[®] G CHICKPEA

F: Granules (peat)
S: 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag
C: Chickpea: Bag: **4 ha (10 acres)** – Tote bag: **80 ha (200 acres)**

M R



FIELD & SPECIALTY CROPS

AGTIV REACH[®] P

F: Powder (peat)
S: Case of 4 x 800 g (4 x 1.75 lb) pails
C: Cereal, flax & dry bean: **32 ha (80 acres)** per case
Alfalfa, mix forages & grass: **16 ha (40 acres)** per case
Vegetables, berries & garlic: see page "Specialty Crops" for details.

M



AGTIV REACH[®] G

F: Granules (peat)
S: 6 kg (13.2 lb) pail – 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag
C: Cereal, flax & dry bean: Bag: **4 ha (10 acres)** – Tote bag: **80 ha (200 acres)**
Alfalfa, mix forages & grass: Bag: **45 kg of seeds (99 lb)** – Tote bag: **720 kg of seeds (1584 lb)**
Vegetables, herbs, berries & fruit trees: see page "Specialty Crops" for details.

M



AGTIV REACH[®] L

F: Liquid (spores in suspension)
S: Case of 2 x 950 ml (2 x 32 fl. oz) bottles
C: Cereal, flax & bean: **16 ha (40 acres)** per case

M



POTATO

AGTIV REACH[®] L POTATO

F: Liquid (spores in suspension)
S: Case of 2 x 950 ml (2 x 32 fl. oz) bottles
C: Potato: **8 ha (20 acres)** per case

M



AGTIV REACH[®] P POTATO

F: Powder
S: Case of 2 x 300 g (2 x 10.5 oz) bag
C: Potato: **16 ha (40 acres)** per case

M



AGTIV STIMULATE[®] L POTATO

F: Liquid
S: 8 L (8 kg) bag-in-box
C: Potato: **8 ha (20 acres)**

B



ACTIVE INGREDIENTS

M MYCORRHIZAE
PTB297 Technology

B BACILLUS
PTB180 Technology
PTB185 Technology

R RHIZOBIUM
PTB160 Technology (pea & lentil)
PTB162 Technology (soybean)
PTB161 Technology (chickpea)

S SERENDIPITA
PTB299 Technology

LEGEND

F: Formulation
S: Size
C: Crop/Coverage

* Eligible with EXTENDER™ L for AGTIV[®] inoculants
✓ For organic use
* Non eligible for organic use. Contact us for more details.

FORMULATIONS



Learn more at
PTAGTIV.COM/en/products




PEA & LENTIL



- ✓ Early P uptake
- ✓ Increased nodulation
- ✓ Better pod fill

3.5 bu/ac **6.1%**

2.7 bu/ac **8.8%**



Average yield increase
28 sites over 13 years, Canada

Average yield increase
66 sites over 14 years, Canada




SOYBEAN



- ✓ More nodules and larger leaves
- ✓ Quicker row closure
- ✓ Fuller pods

3.3 bu/ac **6.7%**

1.8 bu/ac **3.2%**



Average yield increase
91 sites over 11 years, Canada and Europe

Average yield increase
9 third-party trials over 4 years, Canada



CANOLA, CORN, SPRING WHEAT & BARLEY




- ✓ Improved nitrogen use efficiency
- ✓ Increased sulfur absorption
- ✓ Better plant establishment, growth, and yield

2.4 bu/ac **6.5%**

7.2 bu/ac **4.2%**

2.6 bu/ac **4.5%**

5.4 bu/ac **8.8%**



Average yield increase
33 sites over 7 years, Canada

Average yield increase
18 sites over 4 years, Canada

Average yield increase
7 sites over 2 years, Canada

Average yield increase
3 sites over 1 year, Canada




CHICKPEA



- ✓ Bigger root system
- ✓ More branching
- ✓ More pods

3.1 bu/ac **8.7%**



Average yield increase
6 sites over 7 years, Canada





PEA LENTIL & FABIA BEAN



ON-FARM MIXING WITH SEEDS

AGTIV THRIVE® P PEA & LENTIL



ACTIVE INGREDIENTS:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 2750 viable spores/g

R RHIZOBIUM – PTB160 Technology
Rhizobium leguminosarum biovar *viciae*: 1.6 x 10⁹ active cells/g

INERT INGREDIENT: Peat

PARTICLE SIZE: < 1 mm (18 mesh)

BULK DENSITY: 400 g/L (1 lb/US dry qt)

**COVERS
40/60
acres**

SIZE	COVERS	CODE
4.7 kg (10.3 lb) – pail	Pea & faba bean: 16 ha (40 acres) Lentil: 24 ha (60 acres)	710303
2.4 kg (5.3 lb) – pail	Pea & faba bean: 8 ha (20 acres)	710313

DIRECTIONS FOR USE

DRY APPLICATION — Mix evenly with seeds at the bottom of the grain auger while filling drill, or directly in the drill box. Ensure uniform seed coverage is obtained.

Peas & faba beans: apply at 300 g/ha (120 g or 4.2 oz/acre).

Lentils: apply at 200 g/ha (80 g or 2.8 oz/acre).

SLURRY APPLICATION — Pour one 4.7 kg pail in a clean container. Gradually add 8-10 liters of clean, non-chlorinated water and stir well (for one 2.4 kg pail, add only 4 - 5 liters of water). Add more water if the slurry is too thick. Pour onto the seeds and mix thoroughly to ensure even coating.

GRANULAR IN-FURROW

AGTIV THRIVE® G PEA & LENTIL



ACTIVE INGREDIENTS:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 178 viable spores/g

R RHIZOBIUM – PTB160 Technology
Rhizobium leguminosarum biovar *viciae*: 1.3 x 10⁸ viable cells/g

INERT INGREDIENT: Peat

PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)

BULK DENSITY: 600 g/L (37.4 lb/ft³)

**COVERS
10/200
acres**

SIZE	COVERS	CODE
18.2 kg (40 lb) – bag	4 ha (10 acres)	710101
364 kg (800 lb) – tote bag	80 ha (200 acres)	710102

DIRECTIONS FOR USE

Apply in the seed row at a rate of 4.5 kg/ha (4 lb/acre).

COMBO LIQUID FOR IN-FURROW

AGTIV THRIVE® PEA & LENTIL



ACTIVE INGREDIENTS:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 6400 viable spores/g

R RHIZOBIUM – PTB160 Technology
Rhizobium leguminosarum biovar *viciae*: 6 x 10⁹ viable cells/g

INERT INGREDIENT: Water

PARTICLE SIZE: < 0.2 mm (70 mesh) – PTB297 Technology
< 0.1 mm (150 mesh) – PTB160 Technology
Contains non-soluble particles

**COVERS
80
acres**

SIZE	COVERS	CODE
Combo box: 4 x 950 ml (4 x 32 fl. oz) – bottles 8 L (8 kg) – bag-in-box	32 ha (80 acres)	710214

DIRECTIONS FOR USE

This product should be applied using the AGTIV® Liquid Injection Kit. To apply, pour 4 x 950 ml bottles of Mycorrhizae and one 8 L bladder of Rhizobium in the tank and adjust the Dosatron® injection rate following the application chart and video at PTAGTIV.COM/en/liquid-injection-kit.

Apply directly in the seed row at a rate of 118.75 ml/ha (47.5 ml/acre) for Mycorrhizae and 250 ml/ha (100 ml/acre) for Rhizobium, for a total of 368.75 ml/ha (147.5 ml/acre). If the mixture does not contain pesticides or fertilizers, it can be emptied, refrigerated and used within 24 hours.

ON-FARM MIXING WITH SEEDS

AGTIV FUEL® P PEA & LENTIL



ACTIVE INGREDIENT:

R RHIZOBIUM – PTB160 Technology
Rhizobium leguminosarum biovar *viciae*: 1.6 x 10⁹ active cells/g

INERT INGREDIENT: Peat

PARTICLE SIZE: < 1 mm (18 mesh)

BULK DENSITY: 400 g/L (1 lb/US dry qt)

**COVERS
40/60
acres**

SIZE	COVERS	CODE
4.7 kg (10.3 lb) – pail	Pea & faba bean: 16 ha (40 acres) Lentil: 24 ha (60 acres)	710403

DIRECTIONS FOR USE

DRY APPLICATION — Mix evenly with seeds at the bottom of the grain auger while filling drill, or directly in the drill box. Ensure uniform seed coverage is obtained.

Peas & faba beans: apply at 300 g/ha (120 g or 4.2 oz/acre).

Lentils: apply at 200 g/ha (80 g or 2.8 oz/acre).

SLURRY APPLICATION — Pour one 4.7 kg pail in a clean container. Gradually add 8 - 10 litres of clean, non-chlorinated water and stir well. Add more water if the slurry is too thick. Pour onto the seeds and mix thoroughly to ensure even coating.

GRANULAR IN-FURROW

AGTIV FUEL® G PEA & LENTIL



ACTIVE INGREDIENT:

R RHIZOBIUM – PTB160 Technology
Rhizobium leguminosarum biovar *viciae*: 1.3 x 10⁸ viable cells/g

INERT INGREDIENT: Peat

PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)

BULK DENSITY: 600 g/L (37.4 lb/ft³)

**COVERS
10/200
acres**

SIZE	COVERS	CODE
18.2 kg (40 lb) – bag	4 ha (10 acres)	710111
364 kg (800 lb) – tote bag	80 ha (200 acres)	710112

DIRECTIONS FOR USE

Apply in the seed row at a rate of 4.5 kg/ha (4 lb/acre).

LIQUID FOR IN-FURROW OR ON SEED

AGTIV FUEL® L PEA & LENTIL



ACTIVE INGREDIENT:

R RHIZOBIUM – PTB160 Technology
Rhizobium leguminosarum biovar *viciae*: 6 x 10⁹ viable cells/g

PARTICLE SIZE: < 0.1 mm (150 mesh) Contains non-soluble particles

**TREATS
240 bu**

SIZE	COVERS	CODE
8 L (8 kg) – bag-in-box	In-furrow: 32 ha (80 acres) On seed: 6530 kg of seeds (240 bu)	710204

DIRECTIONS FOR USE

ON SEED — Shake well before use and apply directly to the seed. Apply 33 ml per 27 kg seeds, ensure full coverage. Optimum on-seed viability for 30 days when treated seeds are stored below 12°C (54°F).

IN-FURROW — Apply directly in the seed row at a rate of 250 ml/ha (100 ml/acre). This product should be applied using the AGTIV® Liquid Injection Kit. To apply, prepare the product mixture and adjust the Dosatron® injection rate following the application chart and video at PTAGTIV.COM/en/liquid-injection-kit.

Use EXTENDER™ L for AGTIV® inoculants for longer shelf life.



ON-FARM MIXING WITH SEEDS

AGTIV THRIVE® P
SOYBEAN



ACTIVE INGREDIENTS:

- M** MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 2 750 viable spores/g
- R** RHIZOBIUM – PTB162 Technology
Bradyrhizobium japonicum: 2.5 x 10⁹ active cells/g

COVERS
40
acres

INERT INGREDIENT: Peat

PARTICLE SIZE: < 1 mm (18 mesh)

BULK DENSITY: 400 g/L (1 lb/US dry qt)

SIZE	COVERS	CODE
4.7 kg (10.3 lb) – pail	16 ha (40 acres)	710703

DIRECTIONS FOR USE

DRY APPLICATION — Mix evenly with seeds at the bottom of the grain auger while filling drill, or directly in the drill box. Ensure uniform seed coverage is obtained. Apply at 300 g/ha (120 g or 4.2 oz/acre).

SLURRY APPLICATION — Pour one 4.7 kg pail in a clean container. Gradually add 8-10 litres of clean, non-chlorinated water and stir well. Add more water if the slurry is too thick. Pour onto the seeds and mix thoroughly to ensure even coating.

GRANULAR IN-FURROW

AGTIV THRIVE® G
SOYBEAN



ACTIVE INGREDIENTS:

- M** MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 178 viable spores/g
- R** RHIZOBIUM – PTB162 Technology
Bradyrhizobium japonicum: 1.1 x 10⁹ viable cells/g

COVERS
10/200
acres

INERT INGREDIENT: Peat

PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)

BULK DENSITY: 600 g/L (37.4 lb/ft³)

SIZE	COVERS	CODE
18.2 kg (40 lb) – bag	4 ha (10 acres)	710501
364 kg (800 lb) – tote bag	80 ha (200 acres)	710502

DIRECTIONS FOR USE

Apply in the seed row at a rate of 4.5 kg/ha (4 lb/acre).

COMBO LIQUID FOR IN-FURROW

AGTIV THRIVE®
SOYBEAN



ACTIVE INGREDIENTS:

- M** MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 6400 viable spores/g
- R** RHIZOBIUM – PTB162 Technology
Bradyrhizobium japonicum: 8 x 10⁹ viable cells/g

COVERS
40
acres

INERT INGREDIENT: Water

PARTICLE SIZE: < 0.2 mm (70 mesh) – PTB297 Technology
< 0.1 mm (150 mesh) – PTB162 Technology
Contains non-soluble particles

SIZE	COVERS	CODE
Combo box: 2 x 950 ml (2 x 32 fl. oz) – bottles 8 L (8 kg) – bag-in-box	16 ha (40 acres)	710614

DIRECTIONS FOR USE

This product should be applied using the AGTIV® Liquid Injection Kit. To apply, pour 2 x 950 ml bottles of Mycorrhizae and one 8 L bladder of Rhizobium in the tank and adjust the Dosatron® injection rate following the application chart and video at PTAGTIV.COM/en/liquid-injection-kit.

Apply directly in the seed row at a rate of 118.75 ml/ha (47.5 ml/acre) for Mycorrhizae and 500 ml/ha (200 ml/acre) for Rhizobium, for a total of 618.75 ml/ha (247.5 ml/acre). If the mixture does not contain pesticides or fertilizers, it can be emptied, refrigerated and used within 24 hours.

GRANULAR IN-FURROW

AGTIV FUEL® G
SOYBEAN



ACTIVE INGREDIENT:

- R** RHIZOBIUM – PTB162 Technology
Bradyrhizobium japonicum: 1.1 x 10⁹ viable cells/g

COVERS
10/200
acres

INERT INGREDIENT: Peat

PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)

BULK DENSITY: 600 g/L (37.4 lb/ft³)

SIZE	COVERS	CODE
18.2 kg (40 lb) – bag	4 ha (10 acres)	710511
364 kg (800 lb) – tote bag	80 ha (200 acres)	710512

DIRECTIONS FOR USE

Apply in the seed row at a rate of 4.5 kg/ha (4 lb/acre).

LIQUID FOR IN-FURROW OR ON SEED

AGTIV FUEL® L
SOYBEAN



ACTIVE INGREDIENT:

- R** RHIZOBIUM – PTB162 Technology
Bradyrhizobium japonicum: 8 x 10⁹ viable cells/g

TREATS
250
units

PARTICLE SIZE: < 0.1 mm (150 mesh)

Contains non-soluble particles

SIZE	COVERS	CODE
8 L (8 kg) – bag-in-box	In-furrow: 16 ha (40 acres) On seed: 5680 kg of seeds (250 units)	710604

DIRECTIONS FOR USE

ON SEED — Shake well before use and apply directly to the seed. Apply 64 ml per 45.5 kg of seeds, ensure full coverage. Optimum on-seed viability for 30 days when treated seeds are stored below 12°C (54°F).

IN-FURROW — Apply directly in the seed row at a rate of 500 ml/ha (200 ml/acre). This product should be applied using the AGTIV® Liquid Injection Kit. To apply, prepare the product mixture and adjust the Dosatron® injection rate following the application chart and video at PTAGTIV.COM/en/liquid-injection-kit.

COMBO LIQUID FOR IN-FURROW OR ON SEED

AGTIV ENRICH®
SOYBEAN



ACTIVE INGREDIENTS:

- B** BACILLUS – PTB180 Technology
Bacillus pumilus: 3 x 10⁹ viable spores/g
- R** RHIZOBIUM – PTB162 Technology
Bradyrhizobium japonicum: 8 x 10⁹ viable cells/g

TREATS
250
units

PARTICLE SIZE: < 0.1 mm (150 mesh)

Contains non-soluble particles

SIZE	COVERS	CODE
Combo box: 8 L (8 kg) – bag-in-box 300 ml – bottle	In-furrow: 16 ha (40 acres) On seed: 5680 kg of seeds (250 units)	710814

DIRECTIONS FOR USE

ON SEED — Mix the bladder of *Bradyrhizobium* and the bottle of *Bacillus* in the application tank. Apply at a rate of 66.4 ml/45.5 kg of seeds. Agitate constantly during application to keep bacteria in suspension. Optimum on-seed viability for 30 days when treated seeds are stored below 12°C (54°F).

IN-FURROW — Mix the content of the bladder and the bottle in the mix tank. Dilute the inoculants in the required volume of clean, non-chlorinated water according to the product label. Apply in the furrow, directly on the seed, at a rate of 518.75 ml/ha (207.5 ml/acre).

SOYBEAN



✦ Use EXTENDER™ L for AGTIV® inoculants for longer shelf life.

✦ Use EXTENDER™ L for AGTIV® inoculants for longer shelf life.



LIQUID ON SEED

AGTIV IGNITE® L



ACTIVE INGREDIENT:

S SERENDIPITA – PTB299 Technology
Serendipita indica (formerly known as *Piriformospora indica*)
 2 x10⁸ viable spores/g

COVERS
200/300
acres

INERT INGREDIENT: Water

PARTICLE SIZE: < 1 mm (18 mesh)

Contains non-soluble particles

SIZE	COVERS	CODE
11 L (11 kg) bag-in-box	Canola & brassicaceas: 454 kg (1000 lb) of seeds or 81 ha (200 acres) Wheat & cereals: 9165 kg (20 205 lb) of seeds or 81 ha (200 acres) Corn: 3000 kg (6 614 lb) of seeds or 121 ha (300 acres)	714114

DIRECTIONS FOR USE

Ensure the seed treating equipment has been properly cleaned and calibrated and that applicator's tank is clean. Remove any filters on the treating system that are smaller than 1 mm (18 mesh) to prevent clogging. **Shake thoroughly the 11 liters bladder and add it completely to the applicator's tank.**

For wheat and other cereals, it is recommended to dilute in non-chlorinated water to reach a total volume of liquid to add between 12 to 20 ml/kg of seeds.

Spray on seeds and ensure full coverage.

CANOLA, CORN & CEREAL

(DURUM WHEAT, SPRING
WHEAT AND BARLEY)



AGTIV®

DESIGNED BY NATURE.
PERFECTED BY SCIENCE.

EMPOWERING GROWERS FOR A DECADE

Born from **nature** and perfected by **science**, AGTIV® is an innovative technology brand made of high-quality and proven natural active ingredients that deliver superior **performance** for agricultural producers.

GET THE INFO YOU NEED AT PTAGTIV.COM

TOOLBOX

Brochures, crop guides, labels, organic certificates, efficacy reports and SDS.

[PTAGTIV.COM/en/toolbox](https://ptagtiv.com/en/toolbox)



EDUCATION

Agronomic articles and case studies.

[PTAGTIV.COM/en/blog](https://ptagtiv.com/en/blog)



PROGRAMS

Liquid injection kit and retailer fridge.

[PTAGTIV.COM/en/program](https://ptagtiv.com/en/program)



COMPATIBILITY

Pesticide and liquid fertilizer compatibility lists.

[PTAGTIV.COM/en/compatibility](https://ptagtiv.com/en/compatibility)





ON-FARM MIXING WITH SEEDS

AGTIV THRIVE® P
CHICKPEA



ACTIVE INGREDIENTS:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 2750 viable spores/g

R RHIZOBIUM – PTB161 Technology
Mesorhizobium onobrychidis: 7.0 x 10⁸ active cells/g

COVERS
40
acres

INERT INGREDIENT: Peat
PARTICLE SIZE: < 1 mm (18 mesh)
BULK DENSITY: 400 g/L (1 lb/US dry qt)

SIZE	COVERS	CODE
4.7 kg (10.3 lb) – pail	16 ha (40 acres)	713103

DIRECTIONS FOR USE

DRY APPLICATION — Mix evenly with seeds at the bottom of the grain auger while filling drill, or directly in the drill box. Ensure uniform seed coverage is obtained. Apply at 300 g/ha (120 g or 4.2 oz/acre).

SLURRY APPLICATION — Pour one 4.7 kg pail in a clean container. Gradually add 8 - 10 litres of clean, non-chlorinated water and stir well. Add more water if the slurry is too thick. Pour onto the seeds and mix thoroughly to ensure even coating.

GRANULAR IN-FURROW

AGTIV THRIVE® G
CHICKPEA



ACTIVE INGREDIENTS:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 178 viable spores/g

R RHIZOBIUM – PTB161 Technology
Mesorhizobium onobrychidis: 1.6 x 10⁸ viable cells/g

COVERS
10/200
acres

INERT INGREDIENT: Peat
PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)
BULK DENSITY: 600 g/L (37.4 lb/ft³)

SIZE	COVERS	CODE
18.2 kg (40 lb) – bag	4 ha (10 acres)	712901
364 kg (800 lb) – tote bag	80 ha (200 acres)	712902

DIRECTIONS FOR USE

Apply in the seed row at a rate of 4.5 kg/ha (4 lb/acre).

CHICKPEA





AGTIV[®]

TECHNOLOGIES

MORE THAN
40
years
OF EXPERTISE IN
ACTIVE INGREDIENTS

AGTIV[®]


THRIVE

AGTIV THRIVE[®] POWERS PLANTS BY BOOSTING NITROGEN FIXATION, NUTRIENT AND WATER ABSORPTION THANKS TO **MYCORRHIZAE & RHIZOBIUM**

+ MYCORRHIZAE + RHIZOBIUM

PTB297 Technology
+
PTB160 (pea & lentil)
PTB162 (soybean)
PTB161 (chickpea)

- + Enhances P uptake
- + Provides more energy for better nitrogen fixation
- + Increases photosynthesis



AGTIV[®]

ENRICH

AGTIV ENRICH[®] STRENGTHENS LEGUME NITROGEN FIXATION AND PROVIDES A VIGOROUS ROOT SYSTEM THANKS TO **RHIZOBIUM & BACILLUS**

+ RHIZOBIUM + BACILLUS

PTB162 Technology
+
PTB180 Technology

- + Increases nodulation and nitrogen fixation
- + Improves rooting environment
- + Enhances plant vigor and productivity



AGTIV[®]


REACH

AGTIV REACH[®] HELPS PLANTS REACH AND ABSORB MORE NUTRIENTS AND WATER THANKS TO **MYCORRHIZAE**

M MYCORRHIZAE

PTB297 Technology,
Rhizophagus irregularis
(formerly known as
Glomus intraradices)

- + Expands root system
- + Enhances nutrient and water uptake
- + Promotes plant robustness and vigor



AGTIV[®]

IGNITE

AGTIV IGNITE[®] IMPROVES PHOTOSYNTHESIS AND MITIGATES IMPACT OF ENVIRONMENTAL STRESSES THANKS TO **SERENDIPITA**

S SERENDIPITA

PTB299 Technology,
Serendipita indica

- + Mitigates abiotic stresses
- + Increases photosynthesis rate
- + Enhances plant establishment, growth and yield



AGTIV[®]


FUEL

AGTIV FUEL[®] FEEDS LEGUMES BY FIXING ATMOSPHERIC NITROGEN THANKS TO **RHIZOBIUM**

R RHIZOBIUM

PTB160 Technology (pea & lentil) *Rhizobium leguminosarum* biovar *viciae*
PTB162 Technology (soybean) *Bradyrhizobium japonicum*
PTB161 Technology (chickpea) *Mesorhizobium onobrychidis*

- + Increases nodulation
- + Fixes nitrogen
- + Provides nutrients to pulses



AGTIV[®]


STIMULATE

AGTIV STIMULATE[®] REINFORCES PLANTS WITH A HEALTHY ROOT ZONE THANKS TO **BACILLUS**

B BACILLUS

PTB180 Technology, *Bacillus pumilus*
PTB185 Technology, *Bacillus inaquosorum*

- + Stimulates rooting environment
- + Improves plant establishment
- + Increases plant vigor and productivity



Learn more at

[PTAGTIV.COM/en/technologies](https://ptagtiv.com/en/technologies)


Discover each technology's mode of action. ▶

DURUM WHEAT



- ✓ Expanded root system
- ✓ Enhanced nutrient and water uptake
- ✓ More robust and vigorous plants

3.5 bu/ac
5.8%



AGTIV REACH[®]
UNTREATED
Average yield increase
14 sites over 12 years,
North America




FORAGE



- ✓ Increased plant establishment and survival
- ✓ Better growth
- ✓ Increased crop yield

514 lb/ac
16.0%



AGTIV REACH[®] P
UNTREATED
Average yield increase
47 sites over 2 years,
Canada




DRY BEAN



- ✓ Stronger plants
- ✓ Bigger branches and greener leaves
- ✓ More yield per plant

258 lb/ac
9%



AGTIV REACH[®]
UNTREATED
Average yield increase
16 sites over 11 years,
North America




ONION & CARROT




- ✓ More developed root system
- ✓ Quicker plant establishment
- ✓ Increased marketable yields

3123 lb/ac
7.4%


3302 lb/ac
7.7%



AGTIV REACH[®]
UNTREATED
Average yield increase
17 sites over 10 years,
Canada and Europe



AGTIV REACH[®]
UNTREATED
11 sites over 6 years,
North America




POTATO




- ✓ Faster germination
- ✓ Improved crop yield, quality and uniformity

31.6 cwt/ac
9.2%

+10.3 cwt/ac



AGTIV REACH[®] POTATO
UNTREATED
Average yield increase
1199 sites over 14 years,
North America and Europe



AGTIV REACH[®] POTATO + AGTIV STIMULATE[®] POTATO
AGTIV REACH[®] POTATO
16 third-party trials over
4 years, North America



ON-FARM MIXING WITH SEEDS

AGTIV REACH® P



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 8000 viable spores/g

COVERS
80
acres

INERT INGREDIENT: Peat

PARTICLE SIZE: < 1 mm (18 mesh)

BULK DENSITY: 400 g/L (1 lb/US dry qt)

SIZE	COVERS	CODE
4 x 800 g (4 x 1.75 lb) – pails	Cereal, flax & dry bean: 32 ha (80 acres) Alfalfa, mix forages & grass: 16 ha (40 acres)	712324

DIRECTIONS FOR USE

Mix evenly with seeds at the bottom of the grain auger while filling drill, or directly in the drill box. Ensure uniform seed coverage is obtained.

Cereals, flax & dry beans: apply at 100 g/ha (40 g or 1.4 oz/acre).

Alfalfa, mix forages & grass: apply at 200 g/ha (80 g or 2.8 oz/acre).

GRANULAR IN-FURROW

AGTIV REACH® G



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 178 viable spores/g

COVERS
10/200
acres

INERT INGREDIENT: Peat

PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)

BULK DENSITY: 600 g/L (37.4 lb/ft³)

SIZE	COVERS	CODE
18.2 kg (40 lb) – bag	4 ha (10 acres)	712101
364 kg (800 lb) – tote bag	80 ha (200 acres)	712102

DIRECTIONS FOR USE

Apply in the seed row at a rate of 4.5 kg/ha (4 lb/acre).

LIQUID FOR IN-FURROW

AGTIV REACH® L



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 6400 viable spores/g

COVERS
40
acres

INERT INGREDIENT: Water

PARTICLE SIZE: < 0.2 mm (70 mesh)

Contains non-soluble particles

SIZE	COVERS (1 case)	CODE (case)
2 x 950 ml (2 x 32 fl. oz) – bottles	16 ha (40 acres)	712204

DIRECTIONS FOR USE

One 950 ml bottle covers 8 ha (20 acres). Dilute the product in the required volume of clean, non-chlorinated water, according to the product label. Shake the bottle well before use and maintain a constant agitation in the tank during application to avoid settling and clogging. Apply directly in the seed row.

LIQUID INJECTION — To apply using the AGTIV® Liquid Injection Kit, prepare the product mixture and adjust the Dosatron® injection rate following the application chart and video at PTAGTIV.COM/en/liquid-injection-kit. If the mixture does not contain pesticides or fertilizers, it can be emptied, refrigerated and used within 24 hours.

TANK MIX — Refer to PTAGTIV.COM/en/REACH-L for application details.

FIELD CROPS





GRANULAR

AGTIV REACH® G



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 178 viable spores/g

INERT INGREDIENT: Peat

PARTICLE SIZE: 0.5 mm to 2.5 mm (8 - 30 mesh)
 BULK DENSITY: 600 g/L (37.4 lb/ft³)

SIZE	CODE
6 kg (13.2 lb) – pail	712103

DIRECTIONS FOR USE

IN-FURROW — Apply directly in-furrow at a rate of 40 g (1/4 cup) per 100 m row length (0,26 lb/1000 ft).

INCORPORATION INTO GROWING MEDIA — Mix thoroughly into the growing media before filling the trays.

Quantity of AGTIV® to use per volume of growing media		
Cell or container volume	Qty of product to add/m³ of media	Qty of product to add/yd³ of media
40-200 ml	3.4 kg (5.6 L)	5.7 lb (18 cups)
200-500 ml	2.2 kg (3.7 L)	3.8 lb (12 cups)
500 ml-1500 ml	1.1 kg (1.9 L)	1.9 lb (6 cups)
1500 ml or more	0.8 kg (1.4 L)	1.4 lb (4.5 cups)

TRANSPLANTING — Apply the product at the bottom and on the sides of the planting hole. Product must be in direct contact with roots.

BERRIES	FRUIT TREES
1.7 g (1 tsp)	8 g (1 Tbsp)

ON-FARM MIXING WITH SEEDS

AGTIV REACH® P



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 8000 viable spores/g

INERT INGREDIENT: Peat

PARTICLE SIZE: < 1 mm (18 mesh)
 BULK DENSITY: 400 g/L (1 lb/US dry qt)

SIZE	CODE
4 x 800 g (4 x 1.75 lb) – pails	712324

DIRECTIONS FOR USE

TRANSPLANTING

VEGETABLE TRANSPLANTS OR BARE-ROOT BERRIES — Right before planting, coat the root plugs or the bare roots with the product. A 800 g pail of product can treat up to 117 000 transplants or 21 300 bare roots (according to plant size).

ASPARAGUS — Right before planting, coat the bottom of the crown with the product. The recommended quantity is 38 g (80 ml) for 1 000 crowns.

INCORPORATION INTO GROWING MEDIA

Mix the recommended quantity of product into the growing media. For application chart, visit PTAGTIV.COM/en/REACH-P. For a better homogeneity, it is preferable to pre-mix the recommended quantity of product to a part of the growing media (or one of the dry ingredient used in its composition). For application onto tray surface, contact your local representative for application details depending on your practices.

MIXING WITH SEEDS

At planting time, mix evenly with seeds (Table 1). Ensure uniform seed coverage is obtained. The product formulation may “bulk up” seeds. It is important to calibrate the planter to ensure correct planting rate is attained. Avoid using AGTIV® with wet equipment. When seeding, ensure full seed-soil contact to minimize any desiccation of the inoculant.

Table 1 – Quantity of AGTIV® to use per 1 000 seeds			
Type of seed	g	oz	ml
Nantes carrot	0.34	0.012	0.7
Market carrot	0.33	0.012	0.7
Spanish onion	0.56	0.020	1.2
Yellow onion	0.41	0.015	0.9
Lettuce	0.42	0.015	0.9
Pea/bean	0.38	0.013	0.8
Cucumber	1.98	0.070	4.2
Squash/pumpkin	4.95	0.170	10.4
Garlic	37.50	1.320	78.9

1 cup equals 240 ml (96 g) of product.

SPECIALTY CROPS
 (FRUITS & VEGETABLES)



TREATED SEEDS

AGTIV REACH®
 AGTIV STIMULATE®



ACTIVE INGREDIENTS:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 6 400 viable spores/g

B BACILLUS – PTB180 Technology
Bacillus pumilus: 3 x 10⁹ viable spores/g

Ask for AGTIV REACH® (Mycorrhizae) & AGTIV STIMULATE® (Bacillus) combined on your treated seeds

AGTIV® inoculants are specially designed seed-applied technologies integrating biological active ingredients to promote healthy emergence and greater seedling vigor that increases: UNIFORMITY • YIELD • QUALITY.

With the AGTIV® proven technologies, you have access to certified inoculants backed by a close partnership with seed treaters for technology integration, compatibility with other inputs and quality control.

Validate with your representative which active ingredients are currently available for your specialty crops.

The following plant families cannot be colonized (no effect on plant) by the mycorrhizal fungi contained in AGTIV®: Brassicaceae (broccoli, cabbages, cauliflower, radish, rutabaga, watercress), Chenopodiaceae (beets, spinach), Ericaceae (blueberries, cranberries).



POTATO



IN-FURROW APPLICATION OR SEED-PIECE TREATMENT

AGTIV REACH® L POTATO



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 10 500 viable spores/g

**COVERS
20
acres**

INERT INGREDIENT:

Water
 PARTICLE SIZE: < 0.2 mm (70 mesh)
 Contains non-soluble particles

SIZE	COVERS (1 case)	CODE (case)
2 x 950 ml (2 x 32 fl. oz) – bottles	8 ha (20 acres)	711004

DIRECTIONS FOR USE

IN-FURROW APPLICATION — Dilute the product in the required volume of clean, non-chlorinated water. Refer to the application charts available at PTAGTIV.COM/en/potato. **Shake the bottle well before use and maintain a constant agitation in the tank during application to avoid settling and clogging.** Apply directly on seed pieces into furrow.

SEED-PIECE TREATMENT — In a clean tank, pour the content of one 950 ml (32 fl. oz) bottle in the volume of liquid required to treat the amount of seed pieces for 4 hectares (10 acres) of seedbed (110 000 – 170 000 seed pieces). **Shake the bottle well before use and maintain a constant agitation in the tank during application to avoid settling and clogging.** Apply directly on seed pieces. Do not treat seed pieces more than 48 hours before seeding (could activate seed-piece sprouting).

SEE RECOMMENDATIONS BELOW.

IN-FURROW APPLICATION OR SEED-PIECE TREATMENT

AGTIV REACH® P POTATO



ACTIVE INGREDIENT:

M MYCORRHIZAE – PTB297 Technology
Rhizophagus irregularis: 67 000 viable spores/g

**COVERS
40
acres**

INERT INGREDIENT: Diatomaceous earth
 PARTICLE SIZE: < 0.2 mm (70 mesh)

SIZE	COVERS	CODE (case)
2 x 300 g (2 x 10.5 oz) – pouches	16 ha (40 acres)	711104

DIRECTIONS FOR USE

Pour the content of a 300 g pouch into 5.7 liters of clean and non-chlorinated water. **Mix well and maintain under agitation during application.** Apply directly on seed pieces into furrow.

SEE RECOMMENDATIONS BELOW.

IN-FURROW APPLICATION

AGTIV STIMULATE® L POTATO



ACTIVE INGREDIENT:

B BACILLUS – PTB185 Technology
Bacillus inaquosorum: 2 x 10⁹ viable spores/g

**COVERS
20
acres**

INERT INGREDIENT: Water
 PARTICLE SIZE: < 0.1 mm (150 mesh)
 Contains non-soluble particles

SIZE	COVERS	CODE
8 L (8 kg) – bag-in-box	8 ha (20 acres)	711021

DIRECTIONS FOR USE

Apply inoculant in the furrow, directly on the seed pieces, at a rate of 1000 ml/ha (400 ml/acre).

SEE RECOMMENDATIONS BELOW.

IN-FURROW APPLICATION

RECOMMENDATIONS

LIQUID INJECTION:

The AGTIV® Liquid Injection Kit, integrating a Dosatron® pump, is a customized equipment designed for the precise application of AGTIV® liquid products. Easy to install on your existing in-furrow application system, it operates off the main solution flow.

- Ensure the tank and the liquid injection system are clean and free of chemical residues, and agitation system is operational.
- On the planter, remove all cylinder screens by the nozzles or use filters with openings of at least 50 mesh (0.28 mm).
- Prepare your product mixture and adjust the Dosatron® injection rate following the calculation chart and application video at PTAGTIV.COM/en/liquid-injection-kit.
- Spray band width should be limited to 7 in (18 cm) or less.
- If the mixture does not contain pesticides or fertilizers, it can be emptied, refrigerated and used within 24 hours.

TANK MIX:

- Use filters with openings of at least 50 mesh (0.28 mm).
- Use a diaphragm (or peristaltic) pump for product application.
- Up and down agitation at all times in the tank.
- Spray band width should be limited to 7 in (18 cm) or less.
- Apply within 6 hours after mixing into the liquid tank.
- See the application video at PTAGTIV.COM/en/potato.

SEED-PIECE TREATMENT

RECOMMENDATIONS

MILESTONE TREATER:

- Validate that the atomizing head and the mixing paddles correspond to the approved specifications.
 Visit PTAGTIV.COM/en/equipment for more details or contact your representative.

OTHER MODELS:

- Validate that the atomizing head and the mixing paddles correspond to the approved specifications (ask your representative for more info).
- Use filters with openings of at least 50 mesh (0.28 mm).
- Use a diaphragm (or peristaltic) pump for product application.
- Up and down agitation at all times in the tank.



EXPERTISE, AUTONOMY, AND RELIABILITY AT EVERY STEP

As an established manufacturer and marketer, Premier Tech offers reliable, high-quality inoculants through innovation and collaboration with local partners and growers. From the lab to the field, our team transforms research into impactful, results-driven solutions.

Our recent innovation, Premier Tech peat granules for AGTIV® inoculants, is engineered to be robust and free-flowing, ensuring biological viability and delivering excellent agronomic performance. From peat harvest to production, we guarantee consistent quality at every step, supported by a fully controlled, dependable supply chain.

Every day, we deliver products that enhance crop performance and profitability.

[PTAGTIV.COM/en/expertise](https://ptagtiv.com/en/expertise)



PRODUCTION

In 2000, Premier Tech set up a world-first endomycorrhizal inoculum plant, developing a new mycoreactor process for industrial scale production. Backed by more than 40 years of expertise in active ingredients, Premier Tech constantly develops and innovates in terms of production of MYCORRHIZAE, RHIZOBIUM, BACILLUS, SERENDIPITA and other active ingredients:

- ✓ No contamination through a strictly controlled and aseptic environment
- ✓ Large-scale manufacturing production
- ✓ Adapted quality control for each step of the production processes, ensuring consistent high-quality inoculum



FORMULATION

Premier Tech's know-how makes it possible to adapt formulations with multiple active ingredients, concentrations and carriers tailored to different crops and application methods. Because a quality inoculant makes all the difference, our proven formulations are based on these important elements:

- ✓ Carriers compatible with the active ingredients
- ✓ Formulations that guarantee active ingredient viability until use
- ✓ Quality control at several key points ensuring the performance of active ingredients
- ✓ Various formulations tailored for organic production



APPLICATION

Caring about our clients' crop performance, each recommendation for product use takes into consideration validation by our field experts and by farmers themselves, which ensures:

- ✓ Effective application rates, at the right time and place, with the right inoculant
- ✓ Products adapted to growers' equipment
- ✓ Easy integration into farming practices
- ✓ Validation of compatibility with other agricultural inputs



SERVICE

The AGTIV® experience combines highly effective value-added products and the access to a team of field experts dedicated to supporting your growth. From our management and research teams to our field specialists, our multidisciplinary team is listening to growers' needs to continuously improve our products and level of service:

- ✓ Technical support for product application, equipment compatibility and field demonstration
- ✓ Proud promoter of science education and knowledge sharing
- ✓ Partnership with agriculture retailers throughout Canada, the United States and Europe



RENOWN BRANDS

AGTIV® PROMIX®



RECOMMENDATIONS CHART

	CROPS																								
	SOYBEAN						PEA, LENTIL & FAB A BEAN						CANOLA & CEREAL	POTATO			FIELD & SPECIALTY CROPS			CHICKPEA					
	AGTIV THRIVE® P SOYBEAN	AGTIV THRIVE® G SOYBEAN	AGTIV THRIVE® SOYBEAN	AGTIV FUEL® G SOYBEAN	AGTIV FUEL® L SOYBEAN	AGTIV ENRICH® SOYBEAN	AGTIV THRIVE® P PEA & LENTIL	AGTIV THRIVE® G PEA & LENTIL	AGTIV THRIVE® PEA & LENTIL	AGTIV FUEL® G PEA & LENTIL	AGTIV FUEL® L PEA & LENTIL	AGTIV FUEL® P PEA & LENTIL	AGTIV IGNITE® L	AGTIV REACH® L POTATO	AGTIV REACH® P POTATO	AGTIV STIMULATE® L POTATO	AGTIV REACH® P	AGTIV REACH® G	AGTIV REACH® L	AGTIV THRIVE® P CHICKPEA	AGTIV THRIVE® G CHICKPEA				
Use EXTENDER™ L for AGTIV® inoculants for longer shelf life					*	*					*														
APPLICATION																									
After coating, seed within	8h				30 days	30 days					8h				30 days	30 days	180 days	48h	48h		8h				
Apply within 6 hours after mixing into the tank			•		•	•					•				•		•			•					
Avoid using the product with wet equipment	•	•		•							•								•	•	•				
Ensure full seed-soil contact when seeding	•										•								•		•				
To avoid flow problems, do not fill tank or seed cart completely		•		•							•								•		•				
Ensure the tank and the liquid application system are clean and free of chemical residues				•	•	•					•				•	•	•			•					
Shake well before use and during the application				•	•	•					•				•	•	•			•					
Use diaphragm pump for product application (or peristaltic pump)															•	•	•			•					
Ensure the temperature of the diluted tank mix doesn't exceed			22°C (72°F)		22°C (72°F)	22°C (72°F)			22°C (72°F)	22°C (72°F)			22°C (72°F)	22°C (72°F)	22°C (72°F)	22°C (72°F)				22°C (72°F)					
CALIBRATION																									
Calibrate the application system to deliver the correct amount of product	•	•	•	•	•	•					•	•	•	•	•	•	•		•	•	•				
Band width should be limited to 7 in (18 cm) or less															•	•	•			•					
On the planter or seeder, make sure to remove all cylinder screens by the orifices or use filters with openings of at least 50 mesh (0.28 mm)															•	•	•			•					
COMPATIBILITY																									
Do not mix with fertilizers	•	•	•	•	•	•					•	•	•	•	•	•	•			•	•				
Refer to the list of compatible pesticides at PTAGTIV.com/en/compatibility	•			•	•	•					•	•	•	•	•	•	•			•	•				
Refer to the list of compatible liquid fertilizers at PTAGTIV.com/en/compatibility				•	•	•					•	•	•	•	•	•	•			•	•				
STORAGE																									
Product must be refrigerated at																		2-8°C (36-46°F)	2-12°C (36-54°F)		2-8°C (36-46°F)				
Do not freeze or expose to temperatures above	25°C (77°F)	25°C (77°F)	20°C (68°F)	25°C (77°F)	20°C (68°F)	20°C (68°F)							25°C (77°F)	20°C (68°F)	25°C (77°F)	20°C (68°F)	20°C (68°F)	8°C (46°F)	12°C (54°F)	20°C (68°F)	35°C (95°F)	35°C (95°F)	8°C (46°F)	25°C (77°F)	25°C (77°F)
Store the product at constant temperature	•	•		•									•	•	•	•	•			•	•				
If the mixture does not contain pesticides or fertilizers, it can be emptied, refrigerated and used within 24 hours																					•				

RECOMMENDATIONS



DESIGNED BY NATURE. PERFECTED BY SCIENCE.



PEOPLE AND TECHNOLOGIES MAKING A DIFFERENCE

At Premier Tech, we are all about making a difference by connecting People and Technologies for more than 100 years. One team driven by a shared will to deliver sustainable solutions that help feed, protect and improve our world. Premier Tech has a wide range of products, services, brands, and technologies allowing to increase crop yields, bring beautiful gardens to life, automate the handling and packaging operations of many manufacturing facilities, treat and recycle water, support companies in their digital transformation, and offer bio-ingredients for the well-being of humans and animals.



PT Growers and Consumers

World Headquarters
1 avenue Premier
Campus Premier Tech
Rivière-du-Loup (Québec)
G5R 6C1 CANADA
F. 418 862-6642



PTAGTIV.COM
1 866 454-5867
info@ptagtiv.com